

Список литературы

1 Публикации в журналах

1.1 Экономика, финансы, сложные системы

- [1] А. В. Леонидов и Е. Л. Румянцев, “Оценка системных рисков межбанковского рынка России на основе сетевой топологии,” Журнал НЭА **3(19)** (2013) 65-80
- [2] S. Panyukov and A. Leonidov, “On Kinetic Theory of Energy Losses in Randomly Heterogeneous Medium,” JETP Lett. **94** (2011) 255 [arXiv:1107.1683 [cond-mat.stat-mech]].
- [3] И. М. Дремин, А. В. Леонидов и В. А. Нечитайло, “О некоторых свойствах каскадных процессов со случайной интенсивностью,” Краткие сообщения по физике ФИАН **31** (2011), 1
- [4] A. Leonidov, V. Trainin, A. Zaitsev and S. Zaitsev, “Market Mill Dependence Pattern in the Stock Market: Multiscale Conditional Dynamics,” Physica A **388** (2009), 4624
- [5] А. Леонидов, “Путь к экономическому равновесию и эффективность финансовых рынков: взгляд физика,” Вопросы экономики **11** (2009)
- [6] A. Leonidov, V. Trainin, A. Zaitsev and S. Zaitsev, “Market Mill Dependence Pattern in the Stock Market: Modeling of Predictability and Asymmetry via Multi-Component Conditional Distribution,” Physica A **386** (2007), 240
- [7] I. M. Dremin and A. V. Leonidov, “Volatility Dynamics of Wavelet-Filtered Stock Prices,” Bull. Lebedev Phys. Inst. **1** (2008), 1
- [8] I. M. Dremin and A. V. Leonidov, “On distribution of number of trades in different time windows in the stock market,” Physica A **353** (2005) 388 [cond-mat/0409179].
- [9] A. Leonidov, “Long Memory in Stock Trading,” Int. J. Theor. Appl. Finan. **7** (2004), 879

- [10] A. V. Leonidov, “Alternation and Cascade Evolution in Fractals in Processes of Multiple Generation,” Soviet Physics-Lebedev Institute Reports **7** (1989), 29

1.2 Физика высоких энергий: теория

- [11] I. M. Dremin, M. R. Kirakosyan and A. V. Leonidov, “On Collective Properties of Dense QCD Matter,” Adv. High Energy Phys. **2013** (2013) 706521 [arXiv:1305.3812 [nucl-th]].
- [12] M. Kirakosyan, A. Leonidov and B. Muller, “Turbulence-Induced Instabilities in EP and QGP,” Acta Phys. Polon. Supp. **6** (2013) 403 [arXiv:1212.6555 [nucl-th]].
- [13] M. Chiu, T. K. Hemmick, V. Khachatryan, A. Leonidov, J. Liao and L. McLerran, “Production of Photons and Dileptons in the Glasma,” Nucl. Phys. A **900** (2013) 16 [arXiv:1202.3679 [nucl-th]].
- [14] I. M. Dremin and A. V. Leonidov, “Physics of non-Abelian matter in high energy hadronic and nuclear collisions,” JETP Lett. **96** (2012) 554.
- [15] A. V. Leonidov and V. A. Nechitailo, “Color decoherence in in-medium QCD cascades,” Nucl. Phys. A **855** (2011) 380.
- [16] M. Y. Azarkin, I. M. Dremin and A. V. Leonidov, “Soft ridge in proton-proton collisions,” Mod. Phys. Lett. A **26** (2011) 963 [Erratum-ibid. A **26** (2011) 1309] [arXiv:1102.3258 [hep-ph]].
- [17] M. N. Alfimov and A. V. Leonidov, “Quantum Spectrum of Cherenkov Glue,” Nucl. Phys. A **875** (2012) 160 [arXiv:1106.5231 [nucl-th]].
- [18] I. M. Dremin and A. V. Leonidov, “The Quark-gluon medium,” Phys. Usp. **53** (2011) 1123 [arXiv:1006.4603 [nucl-th]].
- [19] A. Leonidov and V. Nechitailo, “Decoherence and energy loss in QCD cascades in nuclear collisions,” Eur. Phys. J. C **71** (2011) 1537 [arXiv:1006.0366 [nucl-th]].

- [20] I. M. Dremin, M. R. Kirakosyan, A. V. Leonidov and A. V. Vinogradov, “Cherenkov Glue in Opaque Nuclear Medium,” Nucl. Phys. A **826** (2009) 190 [arXiv:0809.2472 [hep-ph]].
- [21] A. Leonidov and V. Nechitailo, “QCD partition function in the external field in the covariant gauge,” J. Phys. A **39** (2006) L185 [hep-th/0511105].
- [22] A. Leonidov, “Dense gluon matter in nuclear collisions,” Phys. Usp. **48** (2005) 323 [hep-ph/0311049].
- [23] E. Ferreiro, E. Iancu, A. Leonidov and L. McLerran, “Nonlinear gluon evolution in the color glass condensate. 2.,” Nucl. Phys. A **703** (2002) 489 [hep-ph/0109115].
- [24] E. Iancu, A. Leonidov and L. D. McLerran, “The Renormalization group equation for the color glass condensate,” Phys. Lett. B **510** (2001) 133 [hep-ph/0102009].
- [25] E. Iancu, A. Leonidov and L. D. McLerran, “Nonlinear gluon evolution in the color glass condensate. 1.,” Nucl. Phys. A **692** (2001) 583 [hep-ph/0011241].
- [26] A. Leonidov and D. Ostrovsky, “Azimuthal asymmetry in transverse energy flow in nuclear collisions at high-energies,” Phys. Rev. C **63** (2001) 037901 [nucl-th/0005004].
- [27] A. Leonidov and D. Ostrovsky, “Minijet transverse-energy production in the next-to-leading order in hadron and nuclear collisions,” Eur. Phys. J. C **11** (1999) 495.
- [28] A. Leonidov and D. Ostrovsky, “Angular and momentum asymmetry in particle production at high-energies,” Phys. Rev. D **62** (2000) 094009 [hep-ph/9905496].
- [29] A. Leonidov and D. Ostrovsky, “Angular pattern of minijet transverse energy flow in hadron and nuclear collisions,” Eur. Phys. J. C **16** (2000) 683 [Phys. Atom. Nucl. **65** (2002) 886] [Yad. Fiz. **65** (2002) 918] [hep-ph/9812416].

- [30] J. Jalilian-Marian, A. Kovner, A. Leonidov and H. Weigert, “Unitarization of gluon distribution in the doubly logarithmic regime at high density,” *Phys. Rev. D* **59** (1999) 034007 [Erratum-ibid. *D* **59** (1999) 099903] [hep-ph/9807462].
- [31] A. V. Leonidov and D. M. Ostrovsky, “Nonperturbative violation of factorial moments scaling in dissipative QCD jets,” *Phys. Atom. Nucl.* **62** (1999) 701 [*Yad. Fiz.* **62** (1999) 750] [hep-ph/9712311].
- [32] M. Gazdzicki, A. Leonidov and G. Roland, “On event by event fluctuations in nuclear collisions,” *Eur. Phys. J. C* **6** (1999) 365 [hep-ph/9711422].
- [33] A. V. Leonidov and P. V. Ruuskanen, “Dilepton emission from dense hadron gas,” *Eur. Phys. J. C* **4** (1998) 519 [hep-ph/9709343].
- [34] J. Jalilian-Marian, A. Kovner, A. Leonidov and H. Weigert, “The Wilson renormalization group for low x physics: Towards the high density regime,” *Phys. Rev. D* **59** (1998) 014014 [hep-ph/9706377].
- [35] A. Leonidov, M. Nardi and H. Satz, “Hadron spectra from nuclear collisions,” *Z. Phys. C* **74** (1997) 535.
- [36] J. Jalilian-Marian, A. Kovner, A. Leonidov and H. Weigert, “The BFKL equation from the Wilson renormalization group,” *Nucl. Phys. B* **504** (1997) 415 [hep-ph/9701284].
- [37] A. V. Leonidov and D. M. Ostrovsky, “Factorial and cumulant moments in a simple cascade model,” *Bull. Lebedev Phys. Inst.* **1997N1** (1997) 31 [*Kratk. Soobshch. Fiz.* **1-2** (1997) 37] [hep-ph/9612407].
- [38] K. J. Eskola, A. V. Leonidov and P. V. Ruuskanen, “Mini - jet and transverse energy production in the BFKL regime,” *Nucl. Phys. B* **481** (1996) 704 [hep-ph/9606406].
- [39] A. Leonidov, M. Nardi and H. Satz, “Hadron spectra from nuclear collisions,” *Nucl. Phys. A* **610** (1996) 124C.
- [40] A. V. Leonidov and D. M. Ostrovsky, “Nonperturbative dissipation in QCD jets,” *Phys. Atom. Nucl.* **60** (1997) 110 [*Yad. Fiz.* **60N1** (1997) 119] [hep-ph/9602202].

- [41] E. I. Guendelman, A. V. Leonidov, V. A. Nechitailo and D. A. Owen, “QCD heat kernel in covariant gauge,” *J. Phys. A* **29** (1996) L211 [hep-th/9508169].
- [42] I. M. Dremin and A. V. Leonidov, “Theoretical search for collective effects in multiparticle production,” *Usp. Fiz. Nauk* **165** (1995) 759 [hep-ph/9503446].
- [43] A. V. Leonidov and P. V. Ruuskanen, “Dilepton emission from a resonance gas,” *Heavy Ion Phys.* **1** (1995) 61 [hep-ph/9503309].
- [44] A. V. Leonidov and G. M. Zinovev, “On the deconfinement phase transition in the resonance gas,” *JETP Lett.* **63** (1996) 510 [hep-ph/9408264].
- [45] A. Leonidov, “Energy losses (gains) of massive colored particles in stochastic color medium,” *Z. Phys. C* **66** (1995) 263 [hep-ph/9405379].
- [46] D. Kharzeev and A. Leonidov, “Measuring the hadronization length in $e^+ e^- \rightarrow K^0 \text{ anti-}K^0 \text{ gamma}$,” *Phys. Lett. B* **329** (1994) 374 [hep-ph/9403321].
- [47] E. I. Guendelman, D. A. Owen and A. Leonidov, “NonAbelian flux tube instability,” *Int. J. Mod. Phys. A* **8** (1993) 4745.
- [48] E. I. Guendelman, A. Leonidov, V. Nechitailo and D. A. Owen, “On The heat kernel in covariant background gauge,” *Phys. Lett. B* **324** (1994) 160 [hep-th/9312138].
- [49] A. Leonidov, K. Redlich, H. Satz, E. Suhonen and G. Weber, “Entropy and baryon number conservation in the deconfinement phase transition,” *Phys. Rev. D* **50** (1994) 4657.
- [50] A. V. Leonidov and A. I. Zelnikov, “On the nonlocal effective action at finite temperature,” *Phys. Lett. B* **276** (1992) 122.
- [51] A. V. Leonidov and M. M. Tsy-pin, “Intermittency generating cascade model of multiparticle production with particle number conservation,” *Mod. Phys. Lett. A* **6** (1991) 1203.
- [52] A. Leonidov, “The Thermodynamics of Quark-Gluon Plasmas in External Gluomagnetic Fields,” *Zeit. Phys.* **C47** (1990), 287

- [53] A. V. Leonidov, A. D. Mironov and I. I. Roysen, “Gluon Distribution from HERA plus p anti-p Colliders,” *Mod. Phys. Lett.* **A5** (1990), 2449
- [54] A. A. Bykov, A. V. Leonidov and A.D.Mironov, “Quantum Properties of QCD String and Heavy Quarkonia Spectroscopy,” *Mod. Phys. Lett.* **A4** (1990), 125
- [55] I.M.Dremin and A. V. Leonidov, “Neutralization of a Colour Charge and Electric Charge of a Quark in Jets,” *JETP Lett.* **43** (1986), 196
- [56] A. A. Bykov, I. M. Dremin and A. V. Leonidov, “Quark Atoms and Their Spectroscopy,” *Sov. Phys. Usp.* **28** (1985), 86
- [57] I. M. Dremin and A. V. Leonidov, “Decolorization and Neutralization of Jets,” *Mod. Phys. Lett.* **A1** (1986), 51
- [58] A. V. Leonidov, “Screening of Colour Interaction and the Characteristics of Three-Jet Processes in e+e- Annihilation,” *Soviet Physics-Lebedev Institute Reports* **5** (1985), 59
- [59] A. A. Bykov, I. M. Dremin and A. V. Leonidov, “Potential Models of Quarkonium,” *Sov. Phys. Usp.* **27** (1984), 321
- [60] A. A. Bykov, I. M. Dremin and A. V. Leonidov, “Properties of Toponium in Potential Models and QCD,” *Yad. Fiz.* **39** (1984), 977
- [61] I. M. Dremin and A. V. Leonidov, “Equation of Particle Motion with Variable Mass and Quark Confinement,” *JETP Lett.* **37** (1983), 738
- [62] I. M. Dremin and A. V. Leonidov, “Parameterless Interpolation of the Beta Function with Allowance for Quantum Corrections to the String Potential,” *Theor. Math. Phys.* **51** (1982), 432
- [63] I. M. Dremin and A. V. Leonidov, “An Attempt of Phenomenological Treatment of Confinement in Quark-Gluon Jets,” *Sov. Journ. Nucl. Phys.* **35** (1982), 247

1.3 Физика высоких энергий: эксперимент

- [64] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the B(s) to mu+ mu- branching fraction and search for B0 to mu+ mu-

- with the CMS Experiment,” Phys. Rev. Lett. **111** (2013) 101804 [arXiv:1307.5025 [hep-ex]].
- [65] S. Chatrchyan *et al.* [CMS Collaboration], “Energy calibration and resolution of the CMS electromagnetic calorimeter in pp collisions at $\sqrt{s} = 7$ TeV,” JINST **8** (2013) P09009 [arXiv:1306.2016 [hep-ex]].
- [66] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of neutral strange particle production in the underlying event in proton-proton collisions at $\sqrt{s} = 7$ TeV,” Phys. Rev. D **88** (2013) 052001 [arXiv:1305.6016 [hep-ex]].
- [67] S. Chatrchyan *et al.* [CMS Collaboration], “Study of exclusive two-photon production of W^+W^- in pp collisions at $\sqrt{s} = 7$ TeV and constraints on anomalous quartic gauge couplings,” JHEP **1307** (2013) 116 [arXiv:1305.5596 [hep-ex]].
- [68] S. Chatrchyan *et al.* [CMS Collaboration], “Search for gluino mediated bottom- and top-squark production in multijet final states in pp collisions at 8 TeV,” Phys. Lett. B **725** (2013) 243 [arXiv:1305.2390 [hep-ex]].
- [69] S. Chatrchyan *et al.* [CMS Collaboration], “Multiplicity and transverse momentum dependence of two- and four-particle correlations in pPb and PbPb collisions,” Phys. Lett. B **724** (2013) 213 [arXiv:1305.0609 [nucl-ex]].
- [70] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the Λ_b^0 lifetime in pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **07** (2013) 163 [arXiv:1304.7495 [hep-ex]].
- [71] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of masses in the $t\bar{t}$ system by kinematic endpoints in pp collisions at $\sqrt{s} = 7$ TeV,” Eur. Phys. J. C **73** (2013) 2494 [arXiv:1304.5783 [hep-ex]].
- [72] S. Chatrchyan *et al.* [CMS Collaboration], “Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC,” Eur. Phys. J. C **73** (2013) 2469 [arXiv:1304.0213 [hep-ex]].

- [73] S. Chatrchyan *et al.* [CMS Collaboration], “Search for microscopic black holes in pp collisions at $\sqrt{s} = 8$ TeV,” JHEP **1307** (2013) 178 [arXiv:1303.5338 [hep-ex]].
- [74] S. Chatrchyan *et al.* [CMS Collaboration], “Studies of jet mass in dijet and W/Z + jet events,” JHEP **1305** (2013) 090 [arXiv:1303.4811 [hep-ex]].
- [75] S. Chatrchyan *et al.* [CMS Collaboration], “Observation of a new boson with mass near 125 GeV in pp collisions at $\sqrt{s} = 7$ and 8 TeV,” JHEP **1306** (2013) 081 [arXiv:1303.4571 [hep-ex]].
- [76] S. Chatrchyan *et al.* [CMS Collaboration], “A New Boson with a Mass of 125 GeV Observed with the CMS Experiment at the Large Hadron Collider,” Science **338** (2012) 1569.
- [77] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of associated production of vector bosons and top quark-antiquark pairs at $\sqrt{s} = 7$ TeV,” Phys. Rev. Lett. **110** (2013) 172002 [arXiv:1303.3239 [hep-ex]].
- [78] S. Chatrchyan *et al.* [CMS Collaboration], “Search for supersymmetry in hadronic final states with missing transverse energy using the variables AlphaT and b-quark multiplicity in pp collisions at 8 TeV,” Eur. Phys. J. C **73** (2013) 2568 [arXiv:1303.2985 [hep-ex]].
- [79] S. Chatrchyan *et al.* [CMS Collaboration], “Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC,” JHEP **1305** (2013) 145 [arXiv:1303.0763 [hep-ex]].
- [80] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the X(3872) production cross section via decays to J/psi pi pi in pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1304** (2013) 154 [arXiv:1302.3968 [hep-ex]].
- [81] S. Chatrchyan *et al.* [CMS Collaboration], “Search for a Higgs boson decaying into a b-quark pair and produced in association with b quarks in proton-proton collisions at 7 TeV,” Phys. Lett. B **722** (2013) 207 [arXiv:1302.2892 [hep-ex]].

- [82] S. Chatrchyan *et al.* [CMS Collaboration], “Search for new physics in final states with a lepton and missing transverse energy in pp collisions at the LHC,” *Phys. Rev. D* **87** (2013) 072005 [arXiv:1302.2812 [hep-ex]].
- [83] S. Chatrchyan *et al.* [CMS Collaboration], “Study of the underlying event at forward rapidity in pp collisions at $\sqrt{s} = 0.9, 2.76,$ and 7 TeV,” *JHEP* **1304** (2013) 072 [arXiv:1302.2394 [hep-ex]].
- [84] S. Chatrchyan *et al.* [CMS Collaboration], “Searches for Higgs bosons in pp collisions at $\sqrt{s} = 7$ and 8 TeV in the context of four-generation and fermiophobic models,” *Phys. Lett. B* **725** (2013) 36 [arXiv:1302.1764 [hep-ex]].
- [85] S. Chatrchyan *et al.* [CMS Collaboration], “Search for pair-produced dijet resonances in four-jet final states in pp collisions at $\sqrt{s} = 7$ TeV,” *Phys. Rev. Lett.* **110** (2013) 141802 [arXiv:1302.0531 [hep-ex]].
- [86] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the $t\bar{t}$ production cross section in the all-jet final state in pp collisions at $\sqrt{s} = 7$ TeV,” *JHEP* **1305** (2013) 065 [arXiv:1302.0508 [hep-ex]].
- [87] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the top-antitop production cross section in the tau+jets channel in pp collisions at $\sqrt{s} = 7$ TeV,” *Eur. Phys. J. C* **73** (2013) 2386 [arXiv:1301.5755 [hep-ex]].
- [88] S. Chatrchyan *et al.* [CMS Collaboration], “Search for contact interactions using the inclusive jet p_T spectrum in pp collisions at $\sqrt{s} = 7$ TeV,” *Phys. Rev. D* **87** (2013) 052017 [arXiv:1301.5023 [hep-ex]].
- [89] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of $W+W-$ and ZZ production cross sections in pp collisions at $\sqrt{s} = 8$ TeV,” *Phys. Lett. B* **721** (2013) 190 [arXiv:1301.4698 [hep-ex]].
- [90] S. Chatrchyan *et al.* [CMS Collaboration], “Search for physics beyond the standard model in events with τ leptons, jets, and large transverse momentum imbalance in pp collisions at $\sqrt{s} = 7$ TeV,” *Eur. Phys. J. C* **73** (2013) 2493 [arXiv:1301.3792 [hep-ex]].

- [91] S. Chatrchyan *et al.* [CMS Collaboration], “Interpretation of Searches for Supersymmetry with simplified Models,” arXiv:1301.2175 [hep-ex].
- [92] S. Chatrchyan *et al.* [CMS Collaboration], “Event shapes and azimuthal correlations in $Z + \text{jets}$ events in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **722** (2013) 238 [arXiv:1301.1646 [hep-ex]].
- [93] S. Chatrchyan *et al.* [CMS Collaboration], “Search for supersymmetry in events with opposite-sign dileptons and missing transverse energy using an artificial neural network,” Phys. Rev. D **87** (2013) 072001 [arXiv:1301.0916 [hep-ex]].
- [94] S. Chatrchyan *et al.* [CMS Collaboration], “Search for supersymmetry in pp collisions at $\sqrt{s} = 7$ TeV in events with a single lepton, jets, and missing transverse momentum,” Eur. Phys. J. C **73** (2013) 2404 [arXiv:1212.6428 [hep-ex]].
- [95] S. Chatrchyan *et al.* [CMS Collaboration], “Study of the Mass and Spin-Parity of the Higgs Boson Candidate Via Its Decays to Z Boson Pairs,” Phys. Rev. Lett. **110** (2013) 081803 [arXiv:1212.6639 [hep-ex]].
- [96] S. Chatrchyan *et al.* [CMS Collaboration], “Measurements of differential jet cross sections in proton-proton collisions at $\sqrt{s} = 7$ TeV with the CMS detector,” Phys. Rev. D **87** (2013) 112002 [arXiv:1212.6660 [hep-ex]].
- [97] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 7$ TeV with lepton + jets final states,” Phys. Lett. B **720** (2013) 83 [arXiv:1212.6682].
- [98] S. Chatrchyan *et al.* [CMS Collaboration], “Inclusive search for supersymmetry using the razor variables in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Rev. Lett. **111** (2013) 081802 [arXiv:1212.6961 [hep-ex]].
- [99] S. Chatrchyan *et al.* [CMS Collaboration], “Search for new physics in events with same-sign dileptons and b jets in pp collisions at $\sqrt{s} = 8$ TeV,” JHEP **1303** (2013) 037 [Erratum-ibid. **1307** (2013) 041] [arXiv:1212.6194 [hep-ex]].

- [100] S. Chatrchyan *et al.* [CMS Collaboration], “Search for heavy narrow dilepton resonances in pp collisions at $\sqrt{s} = 7$ TeV and $\sqrt{s} = 8$ TeV,” Phys. Lett. B **720** (2013) 63 [arXiv:1212.6175 [hep-ex]].
- [101] S. Chatrchyan *et al.* [CMS Collaboration], “Search for contact interactions in $\mu^+\mu^-$ events in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Rev. D **87** (2013) 3, 032001 [arXiv:1212.4563 [hep-ex]].
- [102] S. Chatrchyan *et al.* [CMS Collaboration], “Search for heavy resonances in the W/Z-tagged dijet mass spectrum in pp collisions at 7 TeV,” Phys. Lett. B **723** (2013) 280 [arXiv:1212.1910 [hep-ex]].
- [103] S. Chatrchyan *et al.* [CMS Collaboration], “Search for long-lived particles decaying to photons and missing energy in proton-proton collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **722** (2013) 273 [arXiv:1212.1838 [hep-ex]].
- [104] S. Chatrchyan *et al.* [CMS Collaboration], “Search for exotic resonances decaying into WZ/ZZ in pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1302** (2013) 036 [arXiv:1211.5779 [hep-ex]].
- [105] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the ZZ production cross section and search for anomalous couplings in $2l2l'$ final states in pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1301** (2013) 063 [arXiv:1211.4890 [hep-ex]].
- [106] S. Chatrchyan *et al.* [CMS Collaboration], “Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1303** (2013) 111 [arXiv:1211.4784 [hep-ex]].
- [107] S. Chatrchyan *et al.* [CMS Collaboration], “Identification of b-quark jets with the CMS experiment,” JINST **8** (2013) P04013 [arXiv:1211.4462 [hep-ex]].
- [108] S. Chatrchyan *et al.* [CMS Collaboration], “Search for Z' resonances decaying to $t\bar{t}$ in dilepton+jets final states in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Rev. D **87** (2013) 072002 [arXiv:1211.3338 [hep-ex]].
- [109] S. Chatrchyan *et al.* [CMS Collaboration], “Search for supersymmetry in final states with a single lepton, b -quark jets, and missing transverse

- energy in proton-proton collisions at $\sqrt{s} = 7$ TeV,” Phys. Rev. D **87** (2013) 052006 [arXiv:1211.3143 [hep-ex]].
- [110] S. Chatrchyan *et al.* [CMS Collaboration], “Search in leptonic channels for heavy resonances decaying to long-lived neutral particles,” JHEP **1302** (2013) 085 [arXiv:1211.2472 [hep-ex]].
- [111] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of differential top-quark pair production cross sections in pp collisions at $\sqrt{s} = 7$ TeV,” Eur. Phys. J. C **73** (2013) 2339 [arXiv:1211.2220 [hep-ex]].
- [112] S. Chatrchyan *et al.* [CMS Collaboration], “Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or at least 3 b-quark jets in 7 TeV pp collisions using the variable α_T ,” JHEP **1301** (2013) 077 [arXiv:1210.8115 [hep-ex]].
- [113] S. Chatrchyan *et al.* [CMS Collaboration], “Search for a non-standard-model Higgs boson decaying to a pair of new light bosons in four-muon final states,” arXiv:1210.7619 [hep-ex].
- [114] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the sum of WW and WZ production with W +dijet events in pp collisions at $\sqrt{s} = 7$ TeV,” Eur. Phys. J. C **73** (2013) 2283 [arXiv:1210.7544 [hep-ex]].
- [115] S. Chatrchyan *et al.* [CMS Collaboration], “Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1301** (2013) 154 [arXiv:1210.7471 [hep-ex]].
- [116] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the inelastic proton-proton cross section at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **722** (2013) 5 [arXiv:1210.6718 [hep-ex]].
- [117] S. Chatrchyan *et al.* [CMS Collaboration], “Search for pair production of third-generation leptoquarks and top squarks in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Rev. Lett. **110** (2013) 081801 [arXiv:1210.5629 [hep-ex]].
- [118] S. Chatrchyan *et al.* [CMS Collaboration], “Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1212** (2012) 055 [arXiv:1210.5627 [hep-ex]].

- [119] S. Chatrchyan *et al.* [CMS Collaboration], “Observation of long-range near-side angular correlations in proton-lead collisions at the LHC,” Phys. Lett. B **718** (2013) 795 [arXiv:1210.5482 [nucl-ex]].
- [120] S. Chatrchyan *et al.* [CMS Collaboration], “Observation of Z decays to four leptons with the CMS detector at the LHC,” JHEP **1212** (2012) 034 [arXiv:1210.3844 [hep-ex]].
- [121] S. Chatrchyan *et al.* [CMS Collaboration], “Search for excited leptons in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **720** (2013) 309 [arXiv:1210.2422 [hep-ex]].
- [122] S. Chatrchyan *et al.* [CMS Collaboration], “Search for heavy neutrinos and W[R] bosons with right-handed couplings in a left-right symmetric model in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Rev. Lett. **109** (2012) 261802 [arXiv:1210.2402 [hep-ex]].
- [123] S. Chatrchyan *et al.* [CMS Collaboration], “Search for narrow resonances and quantum black holes in inclusive and b -tagged dijet mass spectra from pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1301** (2013) 013 [arXiv:1210.2387 [hep-ex]].
- [124] S. Chatrchyan *et al.* [CMS Collaboration], “Search for fractionally charged particles in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Rev. D **87** (2013) 092008 [arXiv:1210.2311 [hep-ex]].
- [125] S. Chatrchyan *et al.* [CMS Collaboration], “Search for supersymmetry in events with photons and low missing transverse energy in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **719** (2013) 42 [arXiv:1210.2052 [hep-ex]].
- [126] S. Chatrchyan *et al.* [CMS Collaboration], “Search for heavy lepton partners of neutrinos in proton-proton collisions in the context of the type III seesaw mechanism,” Phys. Lett. B **718** (2012) 348 [arXiv:1210.1797 [hep-ex]].
- [127] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the relative prompt production rate of $\chi(c2)$ and $\chi(c1)$ in pp collisions at $\sqrt{s} = 7$ TeV,” Eur. Phys. J. C **72** (2012) 2251 [arXiv:1210.0875 [hep-ex]].

- [128] S. Chatrchyan *et al.* [CMS Collaboration], “Search for anomalous production of highly boosted Z bosons decaying to dimuons in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **722** (2013) 28 [arXiv:1210.0867 [hep-ex]].
- [129] S. Chatrchyan *et al.* [CMS Collaboration], “Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1211** (2012) 147 [arXiv:1209.6620 [hep-ex]].
- [130] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the single-top-quark t -channel cross section in pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1212** (2012) 035 [arXiv:1209.4533 [hep-ex]].
- [131] S. Chatrchyan *et al.* [CMS Collaboration], “Search for resonant $t\bar{t}$ production in lepton+jets events in pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1212** (2012) 015 [arXiv:1209.4397 [hep-ex]].
- [132] S. Chatrchyan *et al.* [CMS Collaboration], “Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1211** (2012) 088 [arXiv:1209.3937 [hep-ex]].
- [133] S. Chatrchyan *et al.* [CMS Collaboration], “Search for a narrow spin-2 resonance decaying to a pair of Z vector bosons in the semileptonic final state,” Phys. Lett. B **718** (2013) 1208 [arXiv:1209.3807 [hep-ex]].
- [134] S. Chatrchyan *et al.* [CMS Collaboration], “Evidence for associated production of a single top quark and W boson in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Rev. Lett. **110** (2013) 022003 [arXiv:1209.3489 [hep-ex]].
- [135] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the $Y1S$, $Y2S$ and $Y3S$ polarizations in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Rev. Lett. **110** (2013) 081802 [arXiv:1209.2922 [hep-ex]].
- [136] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the top-quark mass in $t\bar{t}$ events with dilepton final states in pp collisions at $\sqrt{s} = 7$ TeV,” Eur. Phys. J. C **72** (2012) 2202 [arXiv:1209.2393 [hep-ex]].

- [137] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the top-quark mass in $t\bar{t}$ events with lepton+jets final states in pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1212** (2012) 105 [arXiv:1209.2319 [hep-ex]].
- [138] S. Chatrchyan *et al.* [CMS Collaboration], “Observation of a diffractive contribution to dijet production in proton-proton collisions at $\sqrt{s} = 7$ TeV,” Phys. Rev. D **87** (2013) 012006 [arXiv:1209.1805 [hep-ex]].
- [139] S. Chatrchyan *et al.* [CMS Collaboration], “Search for exclusive or semi-exclusive photon pair production and observation of exclusive and semi-exclusive electron pair production in pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1211** (2012) 080 [arXiv:1209.1666 [hep-ex]].
- [140] S. Chatrchyan *et al.* [CMS Collaboration], “Combined search for the quarks of a sequential fourth generation,” Phys. Rev. D **86** (2012) 112003 [arXiv:1209.1062 [hep-ex]].
- [141] S. Chatrchyan *et al.* [CMS Collaboration], “Search for pair produced fourth-generation up-type quarks in pp collisions at $\sqrt{s} = 7$ TeV with a lepton in the final state,” Phys. Lett. B **718** (2012) 307 [arXiv:1209.0471 [hep-ex]].
- [142] S. Chatrchyan *et al.* [CMS Collaboration], “Search for supersymmetry in events with b-quark jets and missing transverse energy in pp collisions at 7 TeV,” Phys. Rev. D **86** (2012) 072010 [arXiv:1208.4859 [hep-ex]].
- [143] S. Chatrchyan *et al.* [CMS Collaboration], “Study of the dijet mass spectrum in $pp \rightarrow W + \text{jets}$ events at $\sqrt{s} = 7$ TeV,” Phys. Rev. Lett. **109** (2012) 251801 [arXiv:1208.3477 [hep-ex]].
- [144] S. Chatrchyan *et al.* [CMS Collaboration], “Search for three-jet resonances in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **718** (2012) 329 [arXiv:1208.2931 [hep-ex]].
- [145] S. Chatrchyan *et al.* [CMS Collaboration], “Observation of sequential Upsilon suppression in PbPb collisions,” Phys. Rev. Lett. **109** (2012) 222301 [arXiv:1208.2826 [nucl-ex]].

- [146] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the $t\bar{t}$ production cross section in the dilepton channel in pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1211** (2012) 067 [arXiv:1208.2671 [hep-ex]].
- [147] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the azimuthal anisotropy of neutral pions in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV,” Phys. Rev. Lett. **110** (2013) 042301 [arXiv:1208.2470 [nucl-ex]].
- [148] S. Chatrchyan *et al.* [CMS Collaboration], “Search for flavor changing neutral currents in top quark decays in pp collisions at 7 TeV,” Phys. Lett. B **718** (2013) 1252 [arXiv:1208.0957 [hep-ex]].
- [149] S. Chatrchyan *et al.* [CMS Collaboration], “Search for a W' boson decaying to a bottom quark and a top quark in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **718** (2013) 1229 [arXiv:1208.0956 [hep-ex]].
- [150] S. Chatrchyan *et al.* [CMS Collaboration], “Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC,” Phys. Lett. B **716** (2012) 30 [arXiv:1207.7235 [hep-ex]].
- [151] S. Chatrchyan *et al.* [CMS Collaboration], “Search for heavy Majorana neutrinos in $\mu^+\mu^+[\mu^-\mu^-]$ and $e^+e^+[e^-e^-]$ events in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **717** (2012) 109 [arXiv:1207.6079 [hep-ex]].
- [152] S. Chatrchyan *et al.* [CMS Collaboration], “Search for pair production of first- and second-generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Rev. D **86** (2012) 052013 [arXiv:1207.5406 [hep-ex]].
- [153] S. Chatrchyan *et al.* [CMS Collaboration], “Study of the inclusive production of charged pions, kaons, and protons in pp collisions at $\sqrt{s} = 0.9, 2.76,$ and 7 TeV,” Eur. Phys. J. C **72** (2012) 2164 [arXiv:1207.4724 [hep-ex]].
- [154] S. Chatrchyan *et al.* [CMS Collaboration], “Forward-backward asymmetry of Drell-Yan lepton pairs in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **718** (2013) 752 [arXiv:1207.3973 [hep-ex]].

- [155] S. Chatrchyan *et al.* [CMS Collaboration], “A search for a doubly-charged Higgs boson in pp collisions at $\sqrt{s} = 7$ TeV,” *Eur. Phys. J. C* **72** (2012) 2189 [arXiv:1207.2666 [hep-ex]].
- [156] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the underlying event activity in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV with the novel jet-area/median approach,” *JHEP* **1208** (2012) 130 [arXiv:1207.2392 [hep-ex]].
- [157] S. Chatrchyan *et al.* [CMS Collaboration], “Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\sqrt{s} = 7$ TeV,” *Phys. Rev. Lett.* **109** (2012) 171803 [arXiv:1207.1898 [hep-ex]].
- [158] S. Chatrchyan *et al.* [CMS Collaboration], “Search for supersymmetry in hadronic final states using MT2 in pp collisions at $\sqrt{s} = 7$ TeV,” *JHEP* **1210** (2012) 018 [arXiv:1207.1798 [hep-ex]].
- [159] S. Chatrchyan *et al.* [CMS Collaboration], “Search for a fermiophobic Higgs boson in pp collisions at $\sqrt{s} = 7$ TeV,” *JHEP* **1209** (2012) 111 [arXiv:1207.1130 [hep-ex]].
- [160] S. Chatrchyan *et al.* [CMS Collaboration], “Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at $\sqrt{s} = 7$ TeV,” *JHEP* **1211** (2012) 172 [arXiv:1207.0627 [hep-ex]].
- [161] S. Chatrchyan *et al.* [CMS Collaboration], “Search for stopped long-lived particles produced in pp collisions at $\sqrt{s} = 7$ TeV,” *JHEP* **1208** (2012) 026 [arXiv:1207.0106 [hep-ex]].
- [162] S. Chatrchyan *et al.* [CMS Collaboration], “Inclusive and differential measurements of the $t\bar{t}$ charge asymmetry in proton-proton collisions at 7 TeV,” *Phys. Lett. B* **717** (2012) 129 [arXiv:1207.0065 [hep-ex]].
- [163] S. Chatrchyan *et al.* [CMS Collaboration], “Search for a light pseudoscalar Higgs boson in the dimuon decay channel in pp collisions at $\sqrt{s} = 7$ TeV,” *Phys. Rev. Lett.* **109** (2012) 121801 [arXiv:1206.6326 [hep-ex]].

- [164] S. Chatrchyan *et al.* [CMS Collaboration], “Search for dark matter and large extra dimensions in monojet events in pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1209** (2012) 094 [arXiv:1206.5663 [hep-ex]].
- [165] S. Chatrchyan *et al.* [CMS Collaboration], “Performance of CMS muon reconstruction in pp collision events at $\sqrt{s} = 7$ TeV,” JINST **7** (2012) P10002 [arXiv:1206.4071 [physics.ins-det]].
- [166] S. Chatrchyan *et al.* [CMS Collaboration], “Search for new physics in events with opposite-sign leptons, jets, and missing transverse energy in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **718** (2013) 815 [arXiv:1206.3949 [hep-ex]].
- [167] S. Chatrchyan *et al.* [CMS Collaboration], “Search for charge-asymmetric production of W ’ bosons in top pair + jet events from pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **717** (2012) 351 [arXiv:1206.3921 [hep-ex]].
- [168] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the electron charge asymmetry in inclusive W production in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Rev. Lett. **109** (2012) 111806 [arXiv:1206.2598 [hep-ex]].
- [169] S. Chatrchyan *et al.* [CMS Collaboration], “Search for narrow resonances in dilepton mass spectra in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **714** (2012) 158 [arXiv:1206.1849 [hep-ex]].
- [170] S. Chatrchyan *et al.* [CMS Collaboration], “Search for high mass resonances decaying into τ^- lepton pairs in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **716** (2012) 82 [arXiv:1206.1725 [hep-ex]].
- [171] S. Chatrchyan *et al.* [CMS Collaboration], “Search for a W' or Techni- ρ Decaying into WZ in pp Collisions at $\sqrt{s} = 7$ TeV,” Phys. Rev. Lett. **109** (2012) 141801 [arXiv:1206.0433 [hep-ex]].
- [172] S. Chatrchyan *et al.* [CMS Collaboration], “Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy,” Phys. Rev. Lett. **109** (2012) 071803 [arXiv:1205.6615 [hep-ex]].

- [173] S. Chatrchyan *et al.* [CMS Collaboration], “Study of W boson production in PbPb and pp collisions at $\sqrt{s_{NN}} = 2.76$ TeV,” Phys. Lett. B **715** (2012) 66 [arXiv:1205.6334 [nucl-ex]].
- [174] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of jet fragmentation into charged particles in pp and PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV,” JHEP **1210** (2012) 087 [arXiv:1205.5872 [nucl-ex]].
- [175] S. Chatrchyan *et al.* [CMS Collaboration], “Search for a light charged Higgs boson in top quark decays in pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1207** (2012) 143 [arXiv:1205.5736 [hep-ex]].
- [176] S. Chatrchyan *et al.* [CMS Collaboration], “Search for new physics in events with same-sign dileptons and b -tagged jets in pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1208** (2012) 110 [arXiv:1205.3933 [hep-ex]].
- [177] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the pseudorapidity and centrality dependence of the transverse energy density in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV,” Phys. Rev. Lett. **109** (2012) 152303 [arXiv:1205.2488 [nucl-ex]].
- [178] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the Λ_b cross section and the $\bar{\Lambda}(b)$ to Λ_b ratio with Λ_b to $J/\Psi \Lambda$ decays in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **714** (2012) 136 [arXiv:1205.0594 [hep-ex]].
- [179] S. Chatrchyan *et al.* [CMS Collaboration], “Search for heavy long-lived charged particles in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **713** (2012) 408 [arXiv:1205.0272 [hep-ex]].
- [180] S. Chatrchyan *et al.* [CMS Collaboration], “Studies of jet quenching using isolated-photon+jet correlations in PbPb and pp collisions at $\sqrt{s_{NN}} = 2.76$ TeV,” Phys. Lett. B **718** (2013) 773 [arXiv:1205.0206 [nucl-ex]].
- [181] S. Chatrchyan *et al.* [CMS Collaboration], “Observation of a new Xi(b) baryon,” Phys. Rev. Lett. **108** (2012) 252002 [arXiv:1204.5955 [hep-ex]].

- [182] S. Chatrchyan *et al.* [CMS Collaboration], “Search for anomalous production of multilepton events in pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1206** (2012) 169 [arXiv:1204.5341 [hep-ex]].
- [183] S. Chatrchyan *et al.* [CMS Collaboration], “Search for leptonic decays of W bosons in pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1208** (2012) 023 [arXiv:1204.4764 [hep-ex]].
- [184] S. Chatrchyan *et al.* [CMS Collaboration], “Search for physics beyond the standard model in events with a Z boson, jets, and missing transverse energy in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **716** (2012) 260 [arXiv:1204.3774 [hep-ex]].
- [185] S. Chatrchyan *et al.* [CMS Collaboration], “Shape, transverse size, and charged hadron multiplicity of jets in pp collisions at 7 TeV,” JHEP **1206** (2012) 160 [arXiv:1204.3170 [hep-ex]].
- [186] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the mass difference between top and antitop quarks,” JHEP **1206** (2012) 109 [arXiv:1204.2807 [hep-ex]].
- [187] S. Chatrchyan *et al.* [CMS Collaboration], “Search for anomalous t \bar{t} production in the highly-boosted all-hadronic final state,” JHEP **1209** (2012) 029 [arXiv:1204.2488 [hep-ex]].
- [188] S. Chatrchyan *et al.* [CMS Collaboration], “Azimuthal anisotropy of charged particles at high transverse momenta in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV,” Phys. Rev. Lett. **109** (2012) 022301 [arXiv:1204.1850 [nucl-ex]].
- [189] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the $Z/\gamma^* + b$ -jet cross section in pp collisions at 7 TeV,” JHEP **1206** (2012) 126 [arXiv:1204.1643 [hep-ex]].
- [190] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the elliptic anisotropy of charged particles produced in PbPb collisions at nucleon-nucleon center-of-mass energy = 2.76 TeV,” Phys. Rev. C **87** (2013) 014902 [arXiv:1204.1409 [nucl-ex]].
- [191] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the underlying event in the Drell-Yan process in proton-proton collisions

- at $\sqrt{s} = 7$ TeV,” Eur. Phys. J. C **72** (2012) 2080 [arXiv:1204.1411 [hep-ex]].
- [192] S. Chatrchyan *et al.* [CMS Collaboration], “Search for heavy bottom-like quarks in 4.9 inverse femtobarns of pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1205** (2012) 123 [arXiv:1204.1088 [hep-ex]].
- [193] S. Chatrchyan *et al.* [CMS Collaboration], “Search for Dark Matter and Large Extra Dimensions in pp Collisions Yielding a Photon and Missing Transverse Energy,” Phys. Rev. Lett. **108** (2012) 261803 [arXiv:1204.0821 [hep-ex]].
- [194] S. Chatrchyan *et al.* [CMS Collaboration], “Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton-proton collisions at $\sqrt{s} = 7$ TeV,” Eur. Phys. J. C **72** (2012) 2216 [arXiv:1204.0696 [hep-ex]].
- [195] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the top quark pair production cross section in pp collisions at $\sqrt{s} = 7$ TeV in dilepton final states containing a τ ,” Phys. Rev. D **85** (2012) 112007 [arXiv:1203.6810 [hep-ex]].
- [196] S. Chatrchyan *et al.* [CMS Collaboration], “Search for heavy, top-like quark pair production in the dilepton final state in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **716** (2012) 103 [arXiv:1203.5410 [hep-ex]].
- [197] S. Chatrchyan *et al.* [CMS Collaboration], “Search for $B_s^0 \rightarrow \mu^+\mu^-$ and $B^0 \rightarrow \mu^+\mu^-$ decays,” JHEP **1204** (2012) 033 [arXiv:1203.3976 [hep-ex]].
- [198] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the cross section for production of bb^- bar X , decaying to muons in pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1206** (2012) 110 [arXiv:1203.3458 [hep-ex]].
- [199] S. Chatrchyan *et al.* [CMS Collaboration], “Search for microscopic black holes in pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1204** (2012) 061 [arXiv:1202.6396 [hep-ex]].
- [200] S. Chatrchyan *et al.* [CMS Collaboration], “Search for quark compositeness in dijet angular distributions from pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1205** (2012) 055 [arXiv:1202.5535 [hep-ex]].

- [201] S. Chatrchyan *et al.* [CMS Collaboration], “Jet momentum dependence of jet quenching in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV,” Phys. Lett. B **712** (2012) 176 [arXiv:1202.5022 [nucl-ex]].
- [202] S. Chatrchyan *et al.* [CMS Collaboration], “Inclusive b -jet production in pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1204** (2012) 084 [arXiv:1202.4617 [hep-ex]].
- [203] S. Chatrchyan *et al.* [CMS Collaboration], “Search for the standard model Higgs boson decaying to bottom quarks in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **710** (2012) 284 [arXiv:1202.4195 [hep-ex]].
- [204] S. Chatrchyan *et al.* [CMS Collaboration], “Search for neutral Higgs bosons decaying to τ pairs in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **713** (2012) 68 [arXiv:1202.4083 [hep-ex]].
- [205] S. Chatrchyan *et al.* [CMS Collaboration], “Search for large extra dimensions in dimuon and dielectron events in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **711** (2012) 15 [arXiv:1202.3827 [hep-ex]].
- [206] S. Chatrchyan *et al.* [CMS Collaboration], “Search for the standard model Higgs boson in the H to ZZ to $2\ell 2\nu$ channel in pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1203** (2012) 040 [arXiv:1202.3478 [hep-ex]].
- [207] S. Chatrchyan *et al.* [CMS Collaboration], “Search for the standard model Higgs boson in the H to ZZ to $\ell\ell\tau\tau$ decay channel in pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1203** (2012) 081 [arXiv:1202.3617 [hep-ex]].
- [208] S. Chatrchyan *et al.* [CMS Collaboration], “Study of high-pT charged particle suppression in PbPb compared to pp collisions at $\sqrt{s_{NN}} = 2.76$ TeV,” Eur. Phys. J. C **72** (2012) 1945 [arXiv:1202.2554 [nucl-ex]].
- [209] S. Chatrchyan *et al.* [CMS Collaboration], “Search for the standard model Higgs boson in the decay channel H to ZZ to 4 leptons in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Rev. Lett. **108** (2012) 111804 [arXiv:1202.1997 [hep-ex]].
- [210] S. Chatrchyan *et al.* [CMS Collaboration], “Search for the standard model Higgs boson decaying to a W pair in the fully leptonic final state in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **710** (2012) 91 [arXiv:1202.1489 [hep-ex]].

- [211] S. Chatrchyan *et al.* [CMS Collaboration], “Combined results of searches for the standard model Higgs boson in pp collisions at $\sqrt{s} = 7$ TeV,” *Phys. Lett. B* **710** (2012) 26 [arXiv:1202.1488 [hep-ex]].
- [212] S. Chatrchyan *et al.* [CMS Collaboration], “Search for the standard model Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 7$ TeV,” *Phys. Lett. B* **710** (2012) 403 [arXiv:1202.1487 [hep-ex]].
- [213] S. Chatrchyan *et al.* [CMS Collaboration], “Search for a Higgs boson in the decay channel H to $ZZ(*)$ to $q \bar{q} \ell^+ \ell^-$ in pp collisions at $\sqrt{s} = 7$ TeV,” *JHEP* **1204** (2012) 036 [arXiv:1202.1416 [hep-ex]].
- [214] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at $\sqrt{s} = 7$ TeV,” *JHEP* **1206** (2012) 036 [arXiv:1202.0704 [hep-ex]].
- [215] S. Chatrchyan *et al.* [CMS Collaboration], “Suppression of non-prompt J/ψ , prompt J/ψ , and $Y(1S)$ in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV,” *JHEP* **1205** (2012) 063 [arXiv:1201.5069 [nucl-ex]].
- [216] S. Chatrchyan *et al.* [CMS Collaboration], “Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV,” *Eur. Phys. J. C* **72** (2012) 2012 [arXiv:1201.3158 [nucl-ex]].
- [217] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of isolated photon production in pp and PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV,” *Phys. Lett. B* **710** (2012) 256 [arXiv:1201.3093 [nucl-ex]].
- [218] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the charge asymmetry in top-quark pair production in proton-proton collisions at $\sqrt{s} = 7$ TeV,” *Phys. Lett. B* **709** (2012) 28 [arXiv:1112.5100 [hep-ex]].
- [219] S. Chatrchyan *et al.* [CMS Collaboration], “Search for signatures of extra dimensions in the diphoton mass spectrum at the Large Hadron Collider,” *Phys. Rev. Lett.* **108** (2012) 111801 [arXiv:1112.0688 [hep-ex]].

- [220] S. Chatrchyan *et al.* [CMS Collaboration], “Exclusive photon-photon production of muon pairs in proton-proton collisions at $\sqrt{s} = 7$ TeV,” JHEP **1201** (2012) 052 [arXiv:1111.5536 [hep-ex]].
- [221] S. Chatrchyan *et al.* [CMS Collaboration], “ J/ψ and ψ_{2S} production in pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1202** (2012) 011 [arXiv:1111.1557 [hep-ex]].
- [222] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the Production Cross Section for Pairs of Isolated Photons in pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1201** (2012) 133 [arXiv:1110.6461 [hep-ex]].
- [223] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the Rapidity and Transverse Momentum Distributions of Z Bosons in pp Collisions at $\sqrt{s} = 7$ TeV,” Phys. Rev. D **85** (2012) 032002 [arXiv:1110.4973 [hep-ex]].
- [224] S. Chatrchyan *et al.* [CMS Collaboration], “Jet Production Rates in Association with W and Z Bosons in pp Collisions at $\sqrt{s} = 7$ TeV,” JHEP **1201** (2012) 010 [arXiv:1110.3226 [hep-ex]].
- [225] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the weak mixing angle with the Drell-Yan process in proton-proton collisions at the LHC,” Phys. Rev. D **84** (2011) 112002 [arXiv:1110.2682 [hep-ex]].
- [226] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of energy flow at large pseudorapidities in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV,” JHEP **1111** (2011) 148 [Erratum-ibid. **1202** (2012) 055] [arXiv:1110.0211 [hep-ex]].
- [227] S. Chatrchyan *et al.* [CMS Collaboration], “Forward Energy Flow, Central Charged-Particle Multiplicities, and Pseudorapidity Gaps in W and Z Boson Events from pp Collisions at 7 TeV,” Eur. Phys. J. C **72** (2012) 1839 [arXiv:1110.0181 [hep-ex]].
- [228] S. Chatrchyan *et al.* [CMS Collaboration], “Performance of tau-lepton reconstruction and identification in CMS,” JINST **7** (2012) P01001 [arXiv:1109.6034 [physics.ins-det]].

- [229] S. Chatrchyan *et al.* [CMS Collaboration], “Search for a Vector-like Quark with Charge $2/3$ in $t + Z$ Events from pp Collisions at $\sqrt{s} = 7$ TeV,” *Phys. Rev. Lett.* **107** (2011) 271802 [arXiv:1109.4985 [hep-ex]].
- [230] S. Chatrchyan *et al.* [CMS Collaboration], “Search for Supersymmetry at the LHC in Events with Jets and Missing Transverse Energy,” *Phys. Rev. Lett.* **107** (2011) 221804 [arXiv:1109.2352 [hep-ex]].
- [231] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the $t\bar{t}$ Production Cross Section in pp Collisions at 7 TeV in Lepton + Jets Events Using b -quark Jet Identification,” *Phys. Rev. D* **84** (2011) 092004 [arXiv:1108.3773 [hep-ex]].
- [232] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the Differential Cross Section for Isolated Prompt Photon Production in pp Collisions at 7 TeV,” *Phys. Rev. D* **84** (2011) 052011 [arXiv:1108.2044 [hep-ex]].
- [233] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the Drell-Yan Cross Section in pp Collisions at $\sqrt{s} = 7$ TeV,” *JHEP* **1110** (2011) 007 [arXiv:1108.0566 [hep-ex]].
- [234] S. Chatrchyan *et al.* [CMS Collaboration], “Search for $B(s)$ and B to dimuon decays in pp collisions at 7 TeV,” *Phys. Rev. Lett.* **107** (2011) 191802 [arXiv:1107.5834 [hep-ex]].
- [235] S. Chatrchyan *et al.* [CMS Collaboration], “Search for Resonances in the Dijet Mass Spectrum from 7 TeV pp Collisions at CMS,” *Phys. Lett. B* **704** (2011) 123 [arXiv:1107.4771 [hep-ex]].
- [236] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the Inclusive W and Z Production Cross Sections in pp Collisions at $\sqrt{s} = 7$ TeV,” *JHEP* **1110** (2011) 132 [arXiv:1107.4789 [hep-ex]].
- [237] S. Chatrchyan *et al.* [CMS Collaboration], “Dependence on pseudorapidity and centrality of charged hadron production in PbPb collisions at a nucleon-nucleon centre-of-mass energy of 2.76 TeV,” *JHEP* **1108** (2011) 141 [arXiv:1107.4800 [nucl-ex]].

- [238] S. Chatrchyan *et al.* [CMS Collaboration], “Determination of Jet Energy Calibration and Transverse Momentum Resolution in CMS,” JINST **6** (2011) P11002 [arXiv:1107.4277 [physics.ins-det]].
- [239] S. Chatrchyan *et al.* [CMS Collaboration], “Search for Three-Jet Resonances in pp Collisions at $\sqrt{s} = 7$ TeV,” Phys. Rev. Lett. **107** (2011) 101801 [arXiv:1107.3084 [hep-ex]].
- [240] S. Chatrchyan *et al.* [CMS Collaboration], “Search for supersymmetry in pp collisions at $\sqrt{s} = 7$ TeV in events with a single lepton, jets, and missing transverse momentum,” JHEP **1108** (2011) 156 [arXiv:1107.1870 [hep-ex]].
- [241] S. Chatrchyan *et al.* [CMS Collaboration], “A search for excited leptons in pp Collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **704** (2011) 143 [arXiv:1107.1773 [hep-ex]].
- [242] S. Chatrchyan *et al.* [CMS Collaboration], “Inclusive search for squarks and gluinos in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Rev. D **85** (2012) 012004 [arXiv:1107.1279 [hep-ex]].
- [243] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the Underlying Event Activity at the LHC with $\sqrt{s} = 7$ TeV and Comparison with $\sqrt{s} = 0.9$ TeV,” JHEP **1109** (2011) 109 [arXiv:1107.0330 [hep-ex]].
- [244] S. Chatrchyan *et al.* [CMS Collaboration], “Missing transverse energy performance of the CMS detector,” JINST **6** (2011) P09001 [arXiv:1106.5048 [physics.ins-det]].
- [245] S. Chatrchyan *et al.* [CMS Collaboration], “Search for New Physics with a Mono-Jet and Missing Transverse Energy in pp Collisions at $\sqrt{s} = 7$ TeV,” Phys. Rev. Lett. **107** (2011) 201804 [arXiv:1106.4775 [hep-ex]].
- [246] S. Chatrchyan *et al.* [CMS Collaboration], “Search for New Physics with Jets and Missing Transverse Momentum in pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1108** (2011) 155 [arXiv:1106.4503 [hep-ex]].
- [247] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the Strange B Meson Production Cross Section with $J/\Psi \phi$ Decays in pp Collisions

- at $\sqrt{s} = 7$ TeV,” Phys. Rev. D **84** (2011) 052008 [arXiv:1106.4048 [hep-ex]].
- [248] S. Chatrchyan *et al.* [CMS Collaboration], “Search for Supersymmetry in Events with b Jets and Missing Transverse Momentum at the LHC,” JHEP **1107** (2011) 113 [arXiv:1106.3272 [hep-ex]].
- [249] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the t -channel single top quark production cross section in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Rev. Lett. **107** (2011) 091802 [arXiv:1106.3052 [hep-ex]].
- [250] S. Chatrchyan *et al.* [CMS Collaboration], “Search for Light Resonances Decaying into Pairs of Muons as a Signal of New Physics,” JHEP **1107** (2011) 098 [arXiv:1106.2375 [hep-ex]].
- [251] S. Chatrchyan *et al.* [CMS Collaboration], “Search for Same-Sign Top-Quark Pair Production at $\sqrt{s} = 7$ TeV and Limits on Flavour Changing Neutral Currents in the Top Sector,” JHEP **1108** (2011) 005 [arXiv:1106.2142 [hep-ex]].
- [252] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the Top-antitop Production Cross Section in pp Collisions at $\sqrt{s} = 7$ TeV using the Kinematic Properties of Events with Leptons and Jets,” Eur. Phys. J. C **71** (2011) 1721 [arXiv:1106.0902 [hep-ex]].
- [253] S. Chatrchyan *et al.* [CMS Collaboration], “Search for Physics Beyond the Standard Model Using Multilepton Signatures in pp Collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **704** (2011) 411 [arXiv:1106.0933 [hep-ex]].
- [254] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the Ratio of the 3-jet to 2-jet Cross Sections in pp Collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **702** (2011) 336 [arXiv:1106.0647 [hep-ex]].
- [255] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the Inclusive Jet Cross Section in pp Collisions at $\sqrt{s} = 7$ TeV,” Phys. Rev. Lett. **107** (2011) 132001 [arXiv:1106.0208 [hep-ex]].
- [256] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the $t\bar{t}$ production cross section and the top quark mass in the dilepton

- channel in pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1107** (2011) 049 [arXiv:1105.5661 [hep-ex]].
- [257] S. Chatrchyan *et al.* [CMS Collaboration], “Search for First Generation Scalar Leptoquarks in the $evjj$ channel in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **703** (2011) 246 [arXiv:1105.5237 [hep-ex]].
- [258] S. Chatrchyan *et al.* [CMS Collaboration], “Indications of suppression of excited Υ states in PbPb collisions at $\sqrt{S_{NN}} = 2.76$ TeV,” Phys. Rev. Lett. **107** (2011) 052302 [arXiv:1105.4894 [nucl-ex]].
- [259] S. Chatrchyan *et al.* [CMS Collaboration], “Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1106** (2011) 093 [arXiv:1105.3152 [hep-ex]].
- [260] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of $W\gamma$ and $Z\gamma$ production in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **701** (2011) 535 [arXiv:1105.2758 [hep-ex]].
- [261] S. Chatrchyan *et al.* [CMS Collaboration], “Long-range and short-range dihadron angular correlations in central PbPb collisions at a nucleon-nucleon center of mass energy of 2.76 TeV,” JHEP **1107** (2011) 076 [arXiv:1105.2438 [nucl-ex]].
- [262] S. Chatrchyan *et al.* [CMS Collaboration], “Charged particle transverse momentum spectra in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV,” JHEP **1108** (2011) 086 [arXiv:1104.3547 [hep-ex]].
- [263] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the Polarization of W Bosons with Large Transverse Momenta in W+Jets Events at the LHC,” Phys. Rev. Lett. **107** (2011) 021802 [arXiv:1104.3829 [hep-ex]].
- [264] S. Chatrchyan *et al.* [CMS Collaboration], “Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC,” JHEP **1106** (2011) 077 [arXiv:1104.3168 [hep-ex]].

- [265] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the B^0 production cross section in pp Collisions at $\sqrt{s} = 7$ TeV,” Phys. Rev. Lett. **106** (2011) 252001 [arXiv:1104.2892 [hep-ex]].
- [266] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the differential dijet production cross section in proton-proton collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **700** (2011) 187 [arXiv:1104.1693 [hep-ex]].
- [267] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the Inclusive Z Cross Section via Decays to Tau Pairs in pp Collisions at $\sqrt{s} = 7$ TeV,” JHEP **1108** (2011) 117 [arXiv:1104.1617 [hep-ex]].
- [268] S. Chatrchyan *et al.* [CMS Collaboration], “Search for Neutral MSSM Higgs Bosons Decaying to Tau Pairs in pp Collisions at $\sqrt{s} = 7$ TeV,” Phys. Rev. Lett. **106** (2011) 231801 [arXiv:1104.1619 [hep-ex]].
- [269] S. Chatrchyan *et al.* [CMS Collaboration], “Search for Large Extra Dimensions in the Diphoton Final State at the Large Hadron Collider,” JHEP **1105** (2011) 085 [arXiv:1103.4279 [hep-ex]].
- [270] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at $\sqrt{s} = 7$ TeV,” JHEP **1104** (2011) 050 [arXiv:1103.3470 [hep-ex]].
- [271] S. Chatrchyan *et al.* [CMS Collaboration], “Search for Physics Beyond the Standard Model in Opposite-Sign Dilepton Events at $\sqrt{s} = 7$ TeV,” JHEP **1106** (2011) 026 [arXiv:1103.1348 [hep-ex]].
- [272] S. Chatrchyan *et al.* [CMS Collaboration], “Search for Supersymmetry in pp Collisions at $\sqrt{s} = 7$ TeV in Events with Two Photons and Missing Transverse Energy,” Phys. Rev. Lett. **106** (2011) 211802 [arXiv:1103.0953 [hep-ex]].
- [273] S. Chatrchyan *et al.* [CMS Collaboration], “Search for Resonances in the Dilepton Mass Distribution in pp Collisions at $\sqrt{s} = 7$ TeV,” JHEP **1105** (2011) 093 [arXiv:1103.0981 [hep-ex]].
- [274] S. Chatrchyan *et al.* [CMS Collaboration], “Search for a W' boson decaying to a muon and a neutrino in pp collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **701** (2011) 160 [arXiv:1103.0030 [hep-ex]].

- [275] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of W^+W^- Production and Search for the Higgs Boson in pp Collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **699** (2011) 25 [arXiv:1102.5429 [hep-ex]].
- [276] S. Chatrchyan *et al.* [CMS Collaboration], “Study of Z boson production in PbPb collisions at nucleon-nucleon centre of mass energy = 2.76 TeV,” Phys. Rev. Lett. **106** (2011) 212301 [arXiv:1102.5435 [nucl-ex]].
- [277] S. Chatrchyan *et al.* [CMS Collaboration], “Search for a Heavy Bottom-like Quark in pp Collisions at $\sqrt{s} = 7$ TeV,” Phys. Lett. B **701** (2011) 204 [arXiv:1102.4746 [hep-ex]].
- [278] S. Chatrchyan *et al.* [CMS Collaboration], “Observation and studies of jet quenching in PbPb collisions at nucleon-nucleon center-of-mass energy = 2.76 TeV,” Phys. Rev. C **84** (2011) 024906 [arXiv:1102.1957 [nucl-ex]].

2 Препринты, труды конференций

2.1 Экономика, финансы, сложные системы

- [279] A. V. . Leonidov and E. L. .Rumyantsev, “Russian interbank networks: main characteristics and stability with respect to contagion,” Proceedings the International Conference "Instabilities and Control of Excitable Networks: from macro- to nano- systems MIPT, 2012, arXiv:1210.3814
- [280] A. Leonidov, “On non-markovian nature of stock trading,” Presented at "Applications of Physics in Financial Analysis Warsaw, November 13-15 2004, [arXiv:cond-mat/0409179]

2.2 Физика высоких энергий: теория

- [281] M. Kirakosyan, A. Leonidov and B. Muller, “On Collective Properties of Turbulent QED Plasma,” arXiv:1305.4414 [nucl-th].
- [282] A. V. Leonidov and M. N. Alfimov, “Cherenkov Radiation of Gluon Currents,” arXiv:1011.0340 [nucl-th].

- [283] M. R. Kirakosyan and A. V. Leonidov, “Stochastic Jet Quenching in High Energy Nuclear Collisions,” arXiv:0810.5442 [hep-ph].
- [284] M. R. Kirakosyan and A. V. Leonidov, “Energy Loss in Stochastic Abelian Medium,” arXiv:0809.2179 [hep-ph].
- [285] I. M. Dremin and A. V. Leonidov, “Soft-Hard Decomposition in QCD Jet Physics,” hep-ph/0609111.
- [286] A. V. Leonidov, “Color glass condensate in high energy QCD,” hep-ph/0409175.
- [287] E. Iancu, A. Leonidov and L. McLerran, “The Color glass condensate: An Introduction,” hep-ph/0202270.
- [288] A. Leonidov, “On nonlinear evolution equations in QCD,”
- [289] A. Leonidov, “On transverse energy production in hadron collisions,” hep-ph/0005010.
- [290] A. Leonidov and D. Ostrovsky, “Minijet transverse energy production in the next-to-leading order in hadron and nuclear collisions,” hep-ph/9811417.
- [291] E. I. Guendelman, D. A. Owen and A. Leonidov, “The Stability of nonAbelian flux tubes and their length,” In *Como 1994, Proceedings, Quark confinement and the hadron spectrum* 251-254, and Bielefeld U. - BI-TP-94-49 (94/09,rec.Oct.) 4 p
- [292] A. Leonidov, “Resummed effective action in inhomogeneous external field at zero and finite temperature,” In *Bad Frankenhausen 1993, Proceedings, Quantum field theoretical aspects of high energy physics* 201-205. and Bielefeld Univ. - BI-TP-93-53 (93/10,rec.Oct.) 6 p. C [hep-th/9310028].
- [293] A. Leonidov and A. Zelnikov, “Resumming the effective action,” hep-th/9308035.
- [294] M. M. Chernyavsky *et al.* [EMU-01 Collaboration], “A direct analysis of intermittency-generating cascading in high-energy nucleus-nucleus collisions,” In *Wuhan 1991, Multiparticle dynamics* 442-445

- [295] A . S. Gorsky and A. V. Leonidov, “On the Particle-Antiparticle Space-Time Asymmetry in a Pair Production in the Inhomogeneous Electric Field,“ Lund preprint LU TP 91-6 (1991)
- [296] A. V. Leonidov, “On Power Corrections in Finite Temperature QCD,“ In "Vacuum Structure in Intense Fields ed. H.M.Fried and B.Mueller, NATO ASI Series **B255**, 373
- [297] A. V. Leonidov, A. D. Mironov and I. I. Royzen, “Gluon distribution from HERA plus pp-colliders,“ In "High Energy Hadronic Interactions ed. J. Tran Than Van, 1991, p. 377

2.3 Физика высоких энергий: эксперимент

- [298] S. Chatrchyan *et al.* [CMS Collaboration], “Search for baryon number violation in top quark decays,” arXiv:1310.1618 [hep-ex].
- [299] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at $\sqrt{s} = 7$ TeV,” arXiv:1310.1349 [hep-ex].
- [300] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of associated W + charm production in pp collisions at $\sqrt{s} = 7$ TeV,” arXiv:1310.1138 [hep-ex].
- [301] S. Chatrchyan *et al.* [CMS Collaboration], “Modification of jet shapes in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV,” arXiv:1310.0878 [nucl-ex].
- [302] S. Chatrchyan *et al.* [CMS Collaboration], “Observation of a peaking structure in the $J/\psi\phi$ mass spectrum from $B^\pm \rightarrow J/\psi\phi K^\pm$ decays,” arXiv:1309.6920 [hep-ex].
- [303] S. Chatrchyan *et al.* [CMS Collaboration], “Searches for anomalous ttbar production in pp collisions at $\sqrt{s}=8$ TeV,” arXiv:1309.2030 [hep-ex].
- [304] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the production cross section for $Z\gamma \rightarrow \nu\bar{\nu}\gamma$ in pp collisions at $\sqrt{s} =$

- 7 TeV and limits on $ZZ\gamma$ and $Z\gamma\gamma$ triple gauge boson couplings,” arXiv:1309.1117 [hep-ex].
- [305] S. Chatrchyan *et al.* [CMS Collaboration], “Search for a new bottomonium state decaying to $\Upsilon(1S)\pi^+\pi^-$ in pp collisions at $\sqrt{s} = 8$ TeV,” arXiv:1309.0250 [hep-ex].
- [306] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the $W\gamma$ and $Z\gamma$ inclusive cross sections in pp collisions at $\sqrt{s} = 7$ TeV and limits on anomalous triple gauge boson couplings,” arXiv:1308.6832 [hep-ex].
- [307] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the W-boson helicity in top-quark decays from $t\bar{t}$ production in lepton+jets events in pp collisions at $\sqrt{s}=7$ TeV,” arXiv:1308.3879 [hep-ex].
- [308] S. Chatrchyan *et al.* [CMS Collaboration], “Angular analysis and branching fraction measurement of the decay $B^0 \rightarrow K^*\mu^+\mu^-$,” arXiv:1308.3409 [hep-ex].
- [309] S. Chatrchyan *et al.* [CMS Collaboration], “Search for top-squark pair production in the single-lepton final state in pp collisions at $\sqrt{s} = 8$ TeV,” arXiv:1308.1586 [hep-ex].
- [310] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the prompt J/ψ and $\psi(2S)$ polarizations in pp collisions at $\sqrt{s} = 7$ TeV,” arXiv:1307.6070 [hep-ex].
- [311] S. Chatrchyan *et al.* [CMS Collaboration], “Search for a Higgs boson decaying into a Z and a photon in pp collisions at $\sqrt{s} = 7$ and 8 TeV,” arXiv:1307.5515 [hep-ex].
- [312] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the top-quark mass in all-jets $t\bar{t}$ events in pp collisions at $\sqrt{s}=7$ TeV,” arXiv:1307.4617 [hep-ex].
- [313] S. Chatrchyan *et al.* [CMS Collaboration], “Study of the production of charged pions, kaons, and protons in pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV,” arXiv:1307.3442 [hep-ex].

- [314] S. Chatrchyan *et al.* [CMS Collaboration], “Determination of the top-quark pole mass and strong coupling constant from the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 7$ TeV,” arXiv:1307.1907 [hep-ex].
- [315] S. Chatrchyan *et al.* [CMS Collaboration], “The performance of the CMS muon detector in proton-proton collisions at $\sqrt{s} = 7$ TeV at the LHC,” arXiv:1306.6905 [physics.ins-det].
- [316] S. Chatrchyan *et al.* [CMS Collaboration], “Search for Top Squarks in R-parity-violating Supersymmetry Using Three or More Leptons and b-tagged Jets,” arXiv:1306.6643 [hep-ex].
- [317] S. Chatrchyan *et al.* [CMS Collaboration], “Energy calibration and resolution of the CMS electromagnetic calorimeter in pp collisions at $\sqrt{s} = 7$ TeV,” JINST **8** (2013) P09009 [arXiv:1306.2016 [hep-ex]].
- [318] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the $W+W$ -Cross section in pp Collisions at $\sqrt{s} = 7$ TeV and Limits on Anomalous $WW\gamma$ and WWZ couplings,” arXiv:1306.1126 [hep-ex].
- [319] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $\sqrt{s} = 7$ TeV,” arXiv:1305.7389 [hep-ex].
- [320] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the top-quark mass in all-jets $t\bar{t}$ events in pp collisions at $\sqrt{s}=7$ TeV,” arXiv:1307.4617 [hep-ex].
- [321] S. Chatrchyan *et al.* [CMS Collaboration], “Study of the production of charged pions, kaons, and protons in pPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV,” arXiv:1307.3442 [hep-ex].
- [322] S. Chatrchyan *et al.* [CMS Collaboration], “Determination of the top-quark pole mass and strong coupling constant from the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 7$ TeV,” arXiv:1307.1907 [hep-ex].
- [323] S. Chatrchyan *et al.* [CMS Collaboration], “The performance of the CMS muon detector in proton-proton collisions at $\sqrt{s} = 7$ TeV at the LHC,” arXiv:1306.6905 [physics.ins-det].

- [324] S. Chatrchyan *et al.* [CMS Collaboration], “Search for Top Squarks in R-parity-violating Supersymmetry Using Three or More Leptons and b-tagged Jets,” arXiv:1306.6643 [hep-ex].
- [325] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the W+W- Cross section in pp Collisions at $\sqrt{s} = 7$ TeV and Limits on Anomalous $WW\gamma$ and WWZ couplings,” arXiv:1306.1126 [hep-ex].
- [326] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $\sqrt{s} = 7$ TeV,” arXiv:1305.7389 [hep-ex].
- [327] S. Chatrchyan *et al.* [CMS Collaboration], “Searches for long-lived charged particles in pp collisions at $\sqrt{s}=7$ and 8 TeV,” arXiv:1305.0491 [hep-ex].
- [328] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at $\sqrt{s} = 7$ TeV and first determination of the strong coupling constant in the TeV range,” arXiv:1304.7498 [hep-ex].
- [329] S. Chatrchyan *et al.* [CMS Collaboration], “Measurement of the Y(1S), Y(2S), and Y(3S) cross sections in pp collisions at $\sqrt{s} = 7$ TeV,” arXiv:1303.5900 [hep-ex].
- [330] S. Chatrchyan *et al.* [CMS Collaboration], “Search for narrow resonances using the dijet mass spectrum in pp collisions at $\sqrt{s} = 8$ TeV,” arXiv:1302.4794 [hep-ex].
- [331] J. Bartke, P. A. Bolokhov, M. A. Braun, G. A. Feofilov, M. Gazdzicki, V. Koch, V. P. Kondriatev and A. Leonidov *et al.*, “Probes and Observables PPR Chapter 6.8,” ALICE-INT-2004-009.